

10/582472

AP20 Rec'd PCT/PTO 12 JUN 2006

PATENT

Practitioner's Docket No. U 016340-0

TRANSMITTAL LETTER TO THE U.S. DESIGNATED OFFICE (DO/US)—
ENTRY INTO THE U.S. NATIONAL STAGE UNDER CHAPTER I

INTERNATIONAL APPLICATION NO.	INTERNATIONAL FILING DATE	PRIORITY DATE CLAIMED
PCT/JP2004/019071	21 DECEMBER 2004	24 DECEMBER 2003
TITLE OF INVENTION		
POURED MOLTEN METAL QUANTITY CONTROL DEVICE		
APPLICANT(S)		
1.	KONDO, Tsuneo	
2.	NISHIMACHI, Ryuzo	
3.	YOTABUN, Tomohiro	
4.	INUBUSHI, Hisao	

Mail Stop PCT
Commissioner for Patents
P. O. Box 1450
Alexandria, VA 22313-1450

Optional Customer No. Bar Code



00140

PATENT TRADEMARK OFFICE

ATTENTION: DO/US

PRELIMINARY AMENDMENT

Please amend the above identified application as follows:

CERTIFICATION UNDER 37 C.F.R. 1.8(a) and 1.10*

(When using Express Mail, the Express Mail label number is mandatory;
Express Mail certification is optional.)

I hereby certify that, on the date shown below, this correspondence is being:

MAILING

deposited with the United States Postal Service in an envelope addressed to the Commissioner for Patents, P. O. Box 1450, Alexandria, VA 22313-1450.

37 C.F.R. 1.8(a)

37 C.F.R. 1.10*

with sufficient postage as first class mail.

as "Express Mail Post Office to Addressee"
Mailing Label No. EV 815 584 614 US
(mandatory)

TRANSMISSION

transmitted by facsimile to the Patent and Trademark Office, to (703) 872-9306.

Geraldine Marti
Signature

Date: June 12, 2006

GERALDINE MARTI

(type or print name of person certifying)

* Only the date of filing (§ 1.6) will be the date used in a patent term adjustment calculation, although the date on any certificate of mailing or transmission under § 1.8 continues to be taken into account in determining timeliness. See § 1.703(j). Consider "Express Mail Post Office to Addressee" (§ 1.10) or facsimile transmission (§ 1.6(d)) for the reply to be accorded the earliest possible filing date for patent term adjustment calculations.